



ETERNAL CLINIC

Love the skin you're in.

Laser 4D VLift – Vulvar skin rejuvenation, tightening, brightening

OUTLINE

The skin of the vulva is no different to the skin on the face and is vulnerable to age-related changes like thinning, dryness and crepey appearance. Although sun-spots are uncommon on this part of the body because it is rarely exposed to sun, pigmentary changes may occur as the result of chronic inflammation or friction. Vascular lesions like cherry angiomas and seborrheic keratosis are also more common as we age. In addition to skin changes, the vulval lips can lose volume which contributes to the undesirable appearance of intimate parts affecting body image, self-esteem, and sexual relationships. For maximum anti-ageing effect, ask for the Eternal V-Lift procedure. Laser 4DVLift can be combined with Labial Puff involving injections of dermal filler into the deflated labia.

FOTONA's dual wavelength TwinLight® technology combines Er:YAG (2940 nm) and Nd:YAG (1064 nm) for maximum effect.

Er:YAG laser offers adjustable cold and hot ablation allowing on a greater degree of precision and control as well as versatility – from gentle ablative to non-ablative thermal treatments

Nd:YAG laser wavelength, penetrates deeper into tissues to create a tightening effect. Combining both wavelengths has proven to be very successful in providing less invasive and more effective treatments.

INDICATIONS

Prevention and treatment of age-related skin changes on the intimate body parts resulting in smoother, tighter, brighter and healthier looking skin

CONTRAINDICATIONS

Skin infection, within one week of chemical peel, within 6 months of oral Roaccutane or Retin A, within 2 weeks of topical retinol, recent ultraviolet(UV) exposure when the skin is still recovering from the inflammatory effects of sun, tanning beds, UV-curing lamps for nails, etc., or PUVA therapy. Caution should be exercised in pregnancy, breastfeeding, inflammatory skin conditions (psoriasis), photosensitivity (porphyria, xeroderma), cancer, cardiac problems, pacemaker, tendency to keloid scarring, bleeding disorders or anticoagulant therapy, blood born infections (hepatitis, HIV), medication which causes photosensitivity to light, autoimmune conditions, severe Raynaud's disease, diabetes, pigmented skin lesions, recent surgery, allergies, over 65 years of age, polycystic ovarian syndrome.

PATCH TEST

A Patch test is required at least 24 – 72 hours before the procedure.

CONSULTATION

Prior to treatment you will need to have consultation to assess your skin type, suitability for treatment and discussion about possible risks and benefits of laser treatment

SKIN PREPARATION BEFORE THE PROCEDURE

It is advisable to use moisturizing wash and an emollient ointment suitable for intimate parts, prior to laser treatment to assure adequate skin hydration. Those with hyperpigmentation are advised to use brightening serum to suppress pigment production in the skin. Avoid sun exposure 4 weeks before, during and after laser treatment.

ANAESTHESIA

No anesthesia is required. Cooling with cold air may be added during the Nd:YAG modes to assure maximum comfort.

PROCEDURE


Skin is cleansed with an antiseptic and moisturized prior to the procedure. You will be wearing specialist goggles to protect your eyes. Laser beam will be passed over the treated area several times to reach adequate temperature in the treated tissue. Fume extractor with HEPA filter will be switched on to eliminate aerosols produced by the laser and cooling machine.

Step 1 - Intravaginal SMOOTH® lifting

Step 2 - FRAC3® Skin rejuvenation

Step 3 - PIANO® Skin tightening

Step 4 - SupErfical® light peel



TIME: 60 MIN

WHAT TO EXPECT AFTER TREATMENT

You can expect mild redness, swelling and a burning sensation immediately after laser treatment. This usually disappears within 12-24 hours. Skin of the vulva will become dry and tight followed by gentle peeling within 7 days post procedure.

POSSIBLE ADVERSE REACTIONS

Adverse reactions after laser treatment are rare and may include excessive, prolonged redness, swelling and discomfort around vaginal opening which usually disappear within 24 hours after treatment.

DOWNTIME

It is recommended to avoid excessive and vigorous exercise, sports, wet rooms, or sauna for 24-48 hours after the procedure.

AFTERCARE

Use emollient wash and moisturizer suitable for intimate parts of the body.

OUTCOME

Smoother, brighter, tighter more youthful skin of the vulva

NUMBER OF TREATMENTS

3 to 6 monthly session may be required

MAINTENANCE

Maintenance treatment every 12-18 months is recommended

PRICE: £ 750 per treatment session

CONTACT US - 07710 521619

© Copyright Eternal Clinic 2020